

WEST Search History

DATE: Wednesday, July 02, 2003

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
L8	14 same L7	6	L8
L7	differential	511311	L7
L6	14 same L5	0	L6
L5	weak same strong	43162	L5
L4	12 same L3	386	L4
L3	foam	348892	L3
L2	adhesive near L1	6576	L2
L1	double\$1sided	26458	L1

END OF SEARCH HISTORY

WEST**Freeform Search****Database:**

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term:
Display: **Documents in Display Format:** **Starting with Number**
Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Help

Logout

Interrupt

Main Menu

Show S Numbers

Edit S Numbers

Preferences

Cases

Search History
DATE: Friday, March 22, 2002 [Printable Copy](#) [Create Case](#)
Set Name
side by side
Query
Hit Count Set Name
result set

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L10</u>	12 and L9	14	<u>L10</u>
<u>L9</u>	15 and L8	17	<u>L9</u>
<u>L8</u>	((428/317.3)!.CCLS.)	267	<u>L8</u>
<u>L7</u>	15 same L6	12	<u>L7</u>
<u>L6</u>	different adj adhesive	1588	<u>L6</u>
<u>L5</u>	double adj sided adj adhesive	7166	<u>L5</u>
<u>L4</u>	doule adj sided adj adhesive	0	<u>L4</u>
<u>L3</u>	11 and L2	23	<u>L3</u>
<u>L2</u>	foam	323926	<u>L2</u>
<u>L1</u>	((428/41.9)!.CCLS.)	167	<u>L1</u>

END OF SEARCH HISTORY

WEST☐ Generate Collection

L7: Entry 12 of 12

File: DWPI

DERWENT-ACC-NO: 1968-34468Q
DERWENT-WEEK: 196800
COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Mfr of double sided adhesive tape for reversible

PATENT-ASSIGNEE:

ASSIGNEE

CODE

ACHERMANN W

ACHR

PRIORITY-DATA: 1966CH-0006288 (April 27, 1966)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
CH 473209 A			000	

ABSTRACTED-PUB-NO: CH 473209A
BASIC-ABSTRACT:

Method of manufacturing, double sided adhesive tape of which the two faces have different adhesive properties for reversibility.

Tape comprises synthetic separated by a covering film. When this is removed from the roll, the less adhesive face is applied to the smooth surface while the other face remains firmly bonded to the other surface. To enable the cover foil to be easily removed, a narrow (2-3 mm) edge of the tape is provided with no adhesive.

The two objects (surfaces) may be repeatedly separated and reunited. Flaps for envelopes contng. free samples, specimens etc. (for posting) and bags and containers.

TITLE-TERMS: MANUFACTURE DOUBLE SIDE ADHESIVE TAPE REVERSE

DERWENT-CLASS: A00

CPI-CODES: A12-A01;

Multipunch Codes: 01- 435 477 609 668

WEST

Generate Collection

L7: Entry 11 of 12

File: DWPI

Feb 1, 1986

DERWENT-ACC-NO: 1986-073072

DERWENT-WEEK: 198611

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Double-sided adhesive tape - has two different adhesive layers, one being based on polyether with reactive silane gp. and another on acrylic!

PATENT-ASSIGNEE:

ASSIGNEE

SEKISUI CHEM IND CO LTD

CODE

SEKI

PRIORITY-DATA: 1984JP-0145019 (July 11, 1984)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
JP 61023673 A	February 1, 1986		004	
JP 95045645 B2	May 17, 1995		003	C09J007/02

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
JP61023673A	July 11, 1984	1984JP-0145019	
JP95045645B2	July 11, 1984	1984JP-0145019	
JP95045645B2		JP61023673	Based on

INT-CL (IPC): C09J 7/02

ABSTRACTED-PUB-NO: JP61023673A

BASIC-ABSTRACT:

The double-sided adhesive tape or sheet has an adhesive layer one side of which has polyether having at least one reactive silane gp. in the molecule, a tackifier and a crosslinking agent and an adhesive layer on the other side is different.

Pref. adhesive layer on the other side consists of acrylic resin or rubber-based adhesive. The polyether should pref. contain silane gp. on both terminals of main chain and have mol. wt. of 300-15,000, esp. 1,000-10,000. The tackifier includes terpene phenol resin, hydrogenated rosin glycerine ester, coumarone resin, etc.

ADVANTAGE - The double-sided adhesive tape or sheet has high adhesive strength on both sides at room temp. and upon heating, difference in adhesive strength between the two layers becomes greater. It is suitable for fixing mirror, glass, lens, etc. on to a polishing stand.

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS: DOUBLE SIDE ADHESIVE TAPE TWO ADHESIVE LAYER ONE BASED POLYETHER REACT SILANE GROUP POLYACRYLIC

DERWENT-CLASS: A25 A81 G03

CPI-CODES: A10-E22A; A12-A01; A12-A05; G03-B02E; G03-B04;

POLYMER-MULTIPUNCH-CODES-AND-KEY-SERIALS:

Key Serials: 0009 0012 0202 0231 0360 0486 1279 1311 1357 1985 1989 1999 2001 2011
2014 2020 2285 2307 2522 2585 3252 2668 2682 3267 2816

Multipunch Codes: 014 027 032 04- 05- 060 074 081 147 153 213 214 215 229 231 239
24- 248 255 259 303 31- 341 473 477 502 504 54& 57& 575 583 589 597 600 609 668 688
720

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1986-031339